AMENDMENTS TO THE CLAIMS

The following listing of claims replaces all prior versions, and listings, of claims in the application:

- 1. (Currently amended) A light emitting heterostructure comprising:
 - a substrate;
 - a light generating structure formed over the substrate;

an electron blocking layer formed over the light generating structure, wherein the electron blocking layer allows light to pass therethrough:

a distributed semiconductor heterostructure Bragg reflector (DBR) structure formed over the light generating structure electron blocking layer; and

- a p-type layer formed over the DBR structure.
- 2. (Canceled)
- 3. (Original) The heterostructure of claim 1, further comprising:
 - a buffer layer formed on the substrate; and
- a second layer formed on the buffer layer, wherein the light generating structure is formed on the second layer.
- 4. (Original) The heterostructure of claim 3, further comprising a contact layer formed on the second layer.

Serial No. 10/690,760

Page 2 of 10

- 5. (Original) The heterostructure of claim 1, further comprising a contact layer formed above the DBR structure.
- 6. (Original) The heterostructure of claim 5, further comprising a metal layer formed on the contact layer.

Claims 7-8 (Withdrawn)

- 9. (Original) The heterostructure of claim 1, further comprising a reflective layer formed over the DBR structure.
- 10. (Original) The heterostructure of claim 1, wherein the substrate comprises a transparent substrate.
- 11. (Currently amended) A light emitting device comprising:
 - a substrate;
 - an n-type layer formed over the substrate;
 - a light generating structure formed over the n-type layer;
- an electron blocking layer formed over the light generating structure, wherein the electron blocking layer allows light to pass therethrough;
- a distributed semiconductor heterostructure Bragg reflector (DBR) structure formed over the light generating structure electron blocking layer; and

Serial No. 10/690,760

Page 3 of 10

a p-type layer formed over the DBR structure.

- 12. (Original) The device of claim 11, further comprising a reflective layer formed on the p-type layer.
- 13. (Currently amended) The device of claim 12, further comprising A light emitting device comprising:

a substrate;

an n-type layer formed over the substrate;

a light generating structure formed over the n-type layer;

a distributed semiconductor heterostructure Bragg reflector (DBR) structure formed over

the light generating structure;

a p-type layer formed over the DBR structure;

a reflective layer formed on the p-type layer; and

- a contact layer formed on the p-type layer, wherein the reflective layer and the contact layer form at least one of[:] a set of alternating stripes [and] or a set of alternating squares.
- 14. (Original) The device of claim 11, further comprising:
 - a first contact formed on the n-type layer; and
 - a second contact formed above the p-type layer.

Serial No. 10/690,760

Page 4 of 10

- 15. (Currently amended) The device of claim 11, wherein the device comprises at least one of[:] a light emitting diode (LED), an ultraviolet LED, and or a laser.
- 16. (Currently amended) An ultraviolet light emitting heterostructure comprising:

an n-type layer;

a light generating structure formed over the n-type layer;

an electron blocking layer formed over the light generating structure, wherein the electron blocking layer allows light to pass therethrough;

a distributed semiconductor heterostructure Bragg reflector (DBR) structure formed over the light generating structure electron blocking layer; and

a p-type layer formed over the DBR structure.

Claims 17-20 (Withdrawn)

- 21. (Previously presented) The heterostructure of claim 16, further comprising a substrate, wherein the n-type layer formed over the substrate.
- 22. (Previously presented) The heterostructure of claim 1, further comprising an n-type layer formed over the substrate, wherein the light generating structure is formed over the n-type layer.

Serial No. 10/690,760

Page 5 of 10

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.